

Character Sets

This document tests glyph repertoires for standard Adobe fonts. It also lists Unicode values used to access respective glyphs from XML documents.

Font family: **Times**

Glyph	Unicode	Adobe Name
	x0020	space
!	x0021	exclam
"	x0022	quotedbl
#	x0023	numbersign
\$	x0024	dollar
%	x0025	percent
&	x0026	ampersand
'	x0027	quotesingle
(	x0028	parenleft
)	x0029	parenright
*	x002A	asterisk
+	x002B	plus
,	x002C	comma
-	x002D	hyphen
.	x002E	period
/	x002F	slash
0	x0030	zero
1	x0031	one
2	x0032	two
3	x0033	three
4	x0034	four
5	x0035	five
6	x0036	six
7	x0037	seven
8	x0038	eight
9	x0039	nine
:	x003A	colon
;	x003B	semicolon
<	x003C	less
=	x003D	equal
>	x003E	greater
?	x003F	question
@	x0040	at
A	x0041	A
B	x0042	B
C	x0043	C
D	x0044	D
E	x0045	E

Glyph	Unicode	Adobe Name
F	x0046	F
G	x0047	G
H	x0048	H
I	x0049	I
J	x004A	J
K	x004B	K
L	x004C	L
M	x004D	M
N	x004E	N
O	x004F	O
P	x0050	P
Q	x0051	Q
R	x0052	R
S	x0053	S
T	x0054	T
U	x0055	U
V	x0056	V
W	x0057	W
X	x0058	X
Y	x0059	Y
Z	x005A	Z
[	x005B	bracketleft
\	x005C	backslash
]	x005D	bracketright
^	x005E	asciicircum
_	x005F	underscore
`	x0060	grave
a	x0061	a
b	x0062	b
c	x0063	c
d	x0064	d
e	x0065	e
f	x0066	f
g	x0067	g
h	x0068	h
i	x0069	i
j	x006A	j
k	x006B	k
l	x006C	l
m	x006D	m
n	x006E	n
o	x006F	o
p	x0070	p
q	x0071	q
r	x0072	r
s	x0073	s

Glyph	Unicode	Adobe Name
t	x0074	t
u	x0075	u
v	x0076	v
w	x0077	w
x	x0078	x
y	x0079	y
z	x007A	z
{	x007B	braceleft
	x007C	bar
}	x007D	braceright
~	x007E	asciitilde
¡	x00A1	exclamdown
¢	x00A2	cent
£	x00A3	sterling
¤	x00A4	currency
¥	x00A5	yen
¦	x00A6	brokenbar
§	x00A7	section
¨	x00A8	dieresis
©	x00A9	copyright
ª	x00AA	ordfeminine
«	x00AB	guillemotleft
¬	x00AC	logicalnot
®	x00AE	registered
—	x00AF	macron
°	x00B0	degree
±	x00B1	plusminus
²	x00B2	twosuperior
³	x00B3	threesuperior
´	x00B4	acute
µ	x00B5	mu
¶	x00B6	paragraph
·	x00B7	periodcentered
¸	x00B8	cedilla
¹	x00B9	onesuperior
º	x00BA	ordmasculine
»	x00BB	guillemotright
¼	x00BC	onequarter
½	x00BD	onehalf
¾	x00BE	threequarters
¿	x00BF	questiondown
À	x00C0	Agrave
Á	x00C1	Aacute
Â	x00C2	Acircumflex
Ã	x00C3	Atilde
Ä	x00C4	Adieresis

Glyph	Unicode	Adobe Name
À	x00C5	Aring
Æ	x00C6	AE
Ç	x00C7	Ccedilla
È	x00C8	Egrave
É	x00C9	Eacute
Ê	x00CA	Ecircumflex
Ë	x00CB	Edieresis
Ì	x00CC	Igrave
Í	x00CD	Iacute
Î	x00CE	Icircumflex
Ï	x00CF	Idieresis
Ð	x00D0	Eth
Ñ	x00D1	Ntilde
Ò	x00D2	Ograve
Ó	x00D3	Oacute
Ô	x00D4	Ocircumflex
Õ	x00D5	Otilde
Ö	x00D6	Odieresis
×	x00D7	multiply
Ø	x00D8	Oslash
Ù	x00D9	Ugrave
Ú	x00DA	Uacute
Û	x00DB	Ucircumflex
Ü	x00DC	Udieresis
Ý	x00DD	Yacute
Þ	x00DE	Thorn
ß	x00DF	germandbls
à	x00E0	agrave
á	x00E1	aacute
â	x00E2	acircumflex
ã	x00E3	atilde
ä	x00E4	adieresis
å	x00E5	aring
æ	x00E6	ae
ç	x00E7	ccedilla
è	x00E8	egrave
é	x00E9	eacute
ê	x00EA	ecircumflex
ë	x00EB	edieresis
ì	x00EC	igrave
í	x00ED	iacute
î	x00EE	icircumflex
ï	x00EF	idieresis
ð	x00F0	eth
ñ	x00F1	ntilde
ò	x00F2	ograve

Glyph	Unicode	Adobe Name
ó	x00F3	oacute
ô	x00F4	ocircumflex
õ	x00F5	otilde
ö	x00F6	odieresis
÷	x00F7	divide
ø	x00F8	oslash
ù	x00F9	ugrave
ú	x00FA	uacute
û	x00FB	ucircumflex
ü	x00FC	udieresis
ý	x00FD	yacute
þ	x00FE	thorn
ÿ	x00FF	ydieresis
ı	x0131	dotlessi
Ł	x0141	Lslash
ł	x0142	lslash
Œ	x0152	OE
œ	x0153	oe
Š	x0160	Scaron
š	x0161	scaron
Ÿ	x0178	Ydieresis
Ž	x017D	Zcaron
ž	x017E	zcaron
f	x0192	florin
ˆ	x02C6	circumflex
˘	x02C7	caron
˙	x02D8	breve
˚	x02D9	dotaccent
˛	x02DA	ring
˜	x02DB	ogonek
¨	x02DC	tilde
˝	x02DD	hungarumlaut
—	x2013	endash
—	x2014	emdash
‘	x2018	quoteleft
’	x2019	quoteright
,	x201A	quotesinglbase
“	x201C	quotedblleft
”	x201D	quotedblright
„	x201E	quotedblbase
†	x2020	dagger
‡	x2021	daggerdbl
•	x2022	bullet
...	x2026	ellipsis
‰	x2030	perthousand
‹	x2039	guilsinglleft

Glyph	Unicode	Adobe Name
›	x203A	guilsinglright
/	x2044	fraction
€	x20AC	Euro
™	x2122	trademark
fi	xFB01	fi
fl	xFB02	fl

Font family: **Helvetica**

Glyph	Unicode	Adobe Name
	x0020	space
!	x0021	exclam
"	x0022	quotedbl
#	x0023	numbersign
\$	x0024	dollar
%	x0025	percent
&	x0026	ampersand
'	x0027	quotesingle
(	x0028	parenleft
)	x0029	parenright
*	x002A	asterisk
+	x002B	plus
,	x002C	comma
-	x002D	hyphen
.	x002E	period
/	x002F	slash
0	x0030	zero
1	x0031	one
2	x0032	two
3	x0033	three
4	x0034	four
5	x0035	five
6	x0036	six
7	x0037	seven
8	x0038	eight
9	x0039	nine
:	x003A	colon
;	x003B	semicolon
<	x003C	less
=	x003D	equal
>	x003E	greater
?	x003F	question
@	x0040	at
A	x0041	A
B	x0042	B
C	x0043	C
D	x0044	D

Glyph	Unicode	Adobe Name
E	x0045	E
F	x0046	F
G	x0047	G
H	x0048	H
I	x0049	I
J	x004A	J
K	x004B	K
L	x004C	L
M	x004D	M
N	x004E	N
O	x004F	O
P	x0050	P
Q	x0051	Q
R	x0052	R
S	x0053	S
T	x0054	T
U	x0055	U
V	x0056	V
W	x0057	W
X	x0058	X
Y	x0059	Y
Z	x005A	Z
[	x005B	bracketleft
\	x005C	backslash
]	x005D	bracketright
^	x005E	asciicircum
_	x005F	underscore
`	x0060	grave
a	x0061	a
b	x0062	b
c	x0063	c
d	x0064	d
e	x0065	e
f	x0066	f
g	x0067	g
h	x0068	h
i	x0069	i
j	x006A	j
k	x006B	k
l	x006C	l
m	x006D	m
n	x006E	n
o	x006F	o
p	x0070	p
q	x0071	q
r	x0072	r

Glyph	Unicode	Adobe Name
s	x0073	s
t	x0074	t
u	x0075	u
v	x0076	v
w	x0077	w
x	x0078	x
y	x0079	y
z	x007A	z
{	x007B	braceleft
	x007C	bar
}	x007D	braceright
~	x007E	asciitilde
!	x00A1	exclamdown
¢	x00A2	cent
£	x00A3	sterling
¤	x00A4	currency
¥	x00A5	yen
¦	x00A6	brokenbar
§	x00A7	section
¨	x00A8	dieresis
©	x00A9	copyright
ª	x00AA	ordfeminine
«	x00AB	guillemotleft
¬	x00AC	logicalnot
®	x00AE	registered
—	x00AF	macron
°	x00B0	degree
±	x00B1	plusminus
²	x00B2	twosuperior
³	x00B3	threesuperior
´	x00B4	acute
µ	x00B5	mu
¶	x00B6	paragraph
·	x00B7	periodcentered
¸	x00B8	cedilla
¹	x00B9	onesuperior
º	x00BA	ordmasculine
»	x00BB	guillemotright
¼	x00BC	onequarter
½	x00BD	onehalf
¾	x00BE	threequarters
¿	x00BF	questiondown
À	x00C0	Agrave
Á	x00C1	Aacute
Â	x00C2	Acircumflex
Ã	x00C3	Atilde

Glyph	Unicode	Adobe Name
Ä	x00C4	Adieresis
Å	x00C5	Aring
Æ	x00C6	AE
Ç	x00C7	Ccedilla
È	x00C8	Egrave
É	x00C9	Eacute
Ê	x00CA	Ecircumflex
Ë	x00CB	Edieresis
Ì	x00CC	Igrave
Í	x00CD	Iacute
Î	x00CE	Icircumflex
Ï	x00CF	Idieresis
Ð	x00D0	Eth
Ñ	x00D1	Ntilde
Ò	x00D2	Ograve
Ó	x00D3	Oacute
Ô	x00D4	Ocircumflex
Õ	x00D5	Otilde
Ö	x00D6	Odieresis
×	x00D7	multiply
Ø	x00D8	Oslash
Ù	x00D9	Ugrave
Ú	x00DA	Uacute
Û	x00DB	Ucircumflex
Ü	x00DC	Udieresis
Ý	x00DD	Yacute
Þ	x00DE	Thorn
ß	x00DF	germandbls
à	x00E0	agrave
á	x00E1	aacute
â	x00E2	acircumflex
ã	x00E3	atilde
ä	x00E4	adieresis
å	x00E5	aring
æ	x00E6	ae
ç	x00E7	ccedilla
è	x00E8	egrave
é	x00E9	eacute
ê	x00EA	ecircumflex
ë	x00EB	edieresis
ì	x00EC	igrave
í	x00ED	iacute
î	x00EE	icircumflex
ï	x00EF	idieresis
ð	x00F0	eth
ñ	x00F1	ntilde

Glyph	Unicode	Adobe Name
ò	x00F2	ograve
ó	x00F3	oacute
ô	x00F4	ocircumflex
õ	x00F5	otilde
ö	x00F6	odieresis
÷	x00F7	divide
ø	x00F8	oslash
ù	x00F9	ugrave
ú	x00FA	uacute
û	x00FB	ucircumflex
ü	x00FC	udieresis
ý	x00FD	yacute
þ	x00FE	thorn
ÿ	x00FF	ydieresis
ı	x0131	dotlessi
Ł	x0141	Lslash
ł	x0142	lslash
Œ	x0152	OE
œ	x0153	oe
Š	x0160	Scaron
š	x0161	scaron
Ÿ	x0178	Ydieresis
Ž	x017D	Zcaron
ž	x017E	zcaron
f	x0192	florin
ˆ	x02C6	circumflex
˘	x02C7	caron
ˆ	x02D8	breve
˙	x02D9	dotaccent
˚	x02DA	ring
˛	x02DB	ogonek
˜	x02DC	tilde
˝	x02DD	hungarumlaut
—	x2013	endash
—	x2014	emdash
‘	x2018	quoteleft
’	x2019	quoteright
‚	x201A	quotesinglbase
“	x201C	quotedblleft
”	x201D	quotedblright
„	x201E	quotedblbase
†	x2020	dagger
‡	x2021	daggerdbl
•	x2022	bullet
...	x2026	ellipsis
‰	x2030	perthousand

Glyph	Unicode	Adobe Name
<	x2039	guilsinglleft
>	x203A	guilsinglright
/	x2044	fraction
€	x20AC	Euro
™	x2122	trademark
fi	xFB01	fi
fl	xFB02	fl

Font family: **Courier**

Glyph	Unicode	Adobe Name
	x0020	space
!	x0021	exclam
"	x0022	quotedbl
#	x0023	numbersign
\$	x0024	dollar
%	x0025	percent
&	x0026	ampersand
'	x0027	quotesingle
(	x0028	parenleft
)	x0029	parenright
*	x002A	asterisk
+	x002B	plus
,	x002C	comma
-	x002D	hyphen
.	x002E	period
/	x002F	slash
0	x0030	zero
1	x0031	one
2	x0032	two
3	x0033	three
4	x0034	four
5	x0035	five
6	x0036	six
7	x0037	seven
8	x0038	eight
9	x0039	nine
:	x003A	colon
;	x003B	semicolon
<	x003C	less
=	x003D	equal
>	x003E	greater
?	x003F	question
@	x0040	at
A	x0041	A
B	x0042	B
C	x0043	C

Glyph	Unicode	Adobe Name
D	x0044	D
E	x0045	E
F	x0046	F
G	x0047	G
H	x0048	H
I	x0049	I
J	x004A	J
K	x004B	K
L	x004C	L
M	x004D	M
N	x004E	N
O	x004F	O
P	x0050	P
Q	x0051	Q
R	x0052	R
S	x0053	S
T	x0054	T
U	x0055	U
V	x0056	V
W	x0057	W
X	x0058	X
Y	x0059	Y
Z	x005A	Z
[	x005B	bracketleft
\	x005C	backslash
]	x005D	bracketright
^	x005E	asciicircum
_	x005F	underscore
`	x0060	grave
a	x0061	a
b	x0062	b
c	x0063	c
d	x0064	d
e	x0065	e
f	x0066	f
g	x0067	g
h	x0068	h
i	x0069	i
j	x006A	j
k	x006B	k
l	x006C	l
m	x006D	m
n	x006E	n
o	x006F	o
p	x0070	p
q	x0071	q

Glyph	Unicode	Adobe Name
ı	x0072	ı
ş	x0073	ş
t	x0074	t
u	x0075	u
v	x0076	v
w	x0077	w
x	x0078	x
y	x0079	y
z	x007A	z
{	x007B	braceleft
	x007C	bar
}	x007D	braceright
~	x007E	asciitilde
ı	x00A1	exclamdown
¢	x00A2	cent
£	x00A3	sterling
¤	x00A4	currency
¥	x00A5	yen
¦	x00A6	brokenbar
§	x00A7	section
¨	x00A8	dieresis
©	x00A9	copyright
ª	x00AA	ordfeminine
«	x00AB	guillemotleft
¬	x00AC	logicalnot
®	x00AE	registered
—	x00AF	macron
°	x00B0	degree
±	x00B1	plusminus
²	x00B2	twosuperior
³	x00B3	threesuperior
´	x00B4	acute
µ	x00B5	mu
¶	x00B6	paragraph
·	x00B7	periodcentered
¸	x00B8	cedilla
¹	x00B9	onesuperior
º	x00BA	ordmasculine
»	x00BB	guillemotright
¼	x00BC	onequarter
½	x00BD	onehalf
¾	x00BE	threequarters
¿	x00BF	questiondown
À	x00C0	Agrave
Á	x00C1	Aacute
Â	x00C2	Acircumflex

Glyph	Unicode	Adobe Name
Ã	x00C3	Atilde
Ä	x00C4	Adieresis
Å	x00C5	Aring
Æ	x00C6	AE
Ç	x00C7	Ccedilla
È	x00C8	Egrave
É	x00C9	Eacute
Ê	x00CA	Ecircumflex
Ë	x00CB	Edieresis
Ì	x00CC	Igrave
Í	x00CD	Iacute
Î	x00CE	Icircumflex
Ï	x00CF	Idieresis
Ð	x00D0	Eth
Ñ	x00D1	Ntilde
Ò	x00D2	Ograve
Ó	x00D3	Oacute
Ô	x00D4	Ocircumflex
Õ	x00D5	Otilde
Ö	x00D6	Odieresis
×	x00D7	multiply
Ø	x00D8	Oslash
Ù	x00D9	Ugrave
Ú	x00DA	Uacute
Û	x00DB	Ucircumflex
Ü	x00DC	Udieresis
Ý	x00DD	Yacute
Þ	x00DE	Thorn
ß	x00DF	germandbls
à	x00E0	agrave
á	x00E1	aacute
â	x00E2	acircumflex
ã	x00E3	atilde
ä	x00E4	adieresis
å	x00E5	aring
æ	x00E6	ae
ç	x00E7	ccedilla
è	x00E8	egrave
é	x00E9	eacute
ê	x00EA	ecircumflex
ë	x00EB	edieresis
ì	x00EC	igrave
í	x00ED	iacute
î	x00EE	icircumflex
ï	x00EF	idieresis
ð	x00F0	eth

Glyph	Unicode	Adobe Name
ñ	x00F1	ntilde
ò	x00F2	ograve
ó	x00F3	oacute
ô	x00F4	ocircumflex
õ	x00F5	otilde
ö	x00F6	odieresis
÷	x00F7	divide
ø	x00F8	oslash
ù	x00F9	ugrave
ú	x00FA	uacute
û	x00FB	ucircumflex
ü	x00FC	udieresis
ý	x00FD	yacute
þ	x00FE	thorn
ÿ	x00FF	ydieresis
ı	x0131	dotlessi
Ł	x0141	Lslash
ł	x0142	lslash
Œ	x0152	OE
œ	x0153	oe
Š	x0160	Scaron
š	x0161	scaron
Ÿ	x0178	Ydieresis
Ž	x017D	Zcaron
ž	x017E	zcaron
ƒ	x0192	florin
ˆ	x02C6	circumflex
˘	x02C7	caron
˙	x02D8	breve
˚	x02D9	dotaccent
°	x02DA	ring
˜	x02DB	ogonek
˘	x02DC	tilde
˘	x02DD	hungarumlaut
–	x2013	endash
—	x2014	emdash
‘	x2018	quoteleft
’	x2019	quoteright
,	x201A	quotesinglbase
“	x201C	quotedblleft
”	x201D	quotedblright
„	x201E	quotedblbase
†	x2020	dagger
‡	x2021	daggerdbl
•	x2022	bullet
...	x2026	ellipsis

Glyph	Unicode	Adobe Name
‰	x2030	perthousand
<	x2039	guilsinglleft
>	x203A	guilsinglright
/	x2044	fraction
€	x20AC	Euro
™	x2122	trademark
fi	xFB01	fi
fl	xFB02	fl

Font family: **Symbol**

Glyph	Unicode	Adobe Name
	x0020	space
!	x0021	exclam
#	x0023	numbersign
%	x0025	percent
&	x0026	ampersand
(	x0028	parenleft
)	x0029	parenright
+	x002B	plus
,	x002C	comma
.	x002E	period
/	x002F	slash
0	x0030	zero
1	x0031	one
2	x0032	two
3	x0033	three
4	x0034	four
5	x0035	five
6	x0036	six
7	x0037	seven
8	x0038	eight
9	x0039	nine
:	x003A	colon
;	x003B	semicolon
<	x003C	less
=	x003D	equal
>	x003E	greater
?	x003F	question
[	x005B	bracketleft
]	x005D	bracketright
_	x005F	underscore
{	x007B	braceleft
	x007C	bar
}	x007D	braceright
¬	x00AC	logicalnot
°	x00B0	degree

Glyph	Unicode	Adobe Name
±	x00B1	plusminus
×	x00D7	multiply
÷	x00F7	divide
f	x0192	florin
A	x0391	Alpha
B	x0392	Beta
Γ	x0393	Gamma
Δ	x0394	Delta
E	x0395	Epsilon
Z	x0396	Zeta
H	x0397	Eta
Θ	x0398	Theta
I	x0399	Iota
K	x039A	Kappa
Λ	x039B	Lambda
M	x039C	Mu
N	x039D	Nu
Ξ	x039E	Xi
O	x039F	Omicron
Π	x03A0	Pi
P	x03A1	Rho
Σ	x03A3	Sigma
T	x03A4	Tau
Υ	x03A5	Upsilon
Φ	x03A6	Phi
X	x03A7	Chi
Ψ	x03A8	Psi
Ω	x03A9	Omega
α	x03B1	alpha
β	x03B2	beta
γ	x03B3	gamma
δ	x03B4	delta
ε	x03B5	epsilon
ζ	x03B6	zeta
η	x03B7	eta
θ	x03B8	theta
ι	x03B9	iota
κ	x03BA	kappa
λ	x03BB	lambda
μ	x03BC	mu
ν	x03BD	nu
ξ	x03BE	xi
ο	x03BF	omicron
π	x03C0	pi
ρ	x03C1	rho
ς	x03C2	sigma1

Glyph	Unicode	Adobe Name
σ	x03C3	sigma
τ	x03C4	tau
υ	x03C5	upsilon
φ	x03C6	phi
χ	x03C7	chi
ψ	x03C8	psi
ω	x03C9	omega
θ	x03D1	theta1
Υ	x03D2	Upsilon1
φ	x03D5	phi1
ω	x03D6	omega1
•	x2022	bullet
...	x2026	ellipsis
'	x2032	minute
"	x2033	second
/	x2044	fraction
€	x20AC	Euro
Ɔ	x2111	Ifraktur
℘	x2118	weierstrass
ℜ	x211C	Rfraktur
ℵ	x2135	aleph
←	x2190	arrowleft
↑	x2191	arrowup
→	x2192	arrowright
↓	x2193	arrowdown
↔	x2194	arrowboth
↵	x21B5	carriagereturn
⇐	x21D0	arrowdblleft
⇑	x21D1	arrowdblup
⇒	x21D2	arrowdblright
⇓	x21D3	arrowdbldown
↔	x21D4	arrowdblboth
∇	x2200	universal
∂	x2202	partialdiff
∃	x2203	existential
∇	x2207	gradient
∈	x2208	element
∅	x2205	emptyset
∉	x2209	notelement
∋	x220B	suchthat
∏	x220F	product
Σ	x2211	summation
−	x2212	minus
*	x2217	asteriskmath
√	x221A	radical
∞	x221D	proportional

Glyph	Unicode	Adobe Name
∞	x221E	infinity
∠	x2220	angle
∧	x2227	logicaland
∨	x2228	logicalor
∩	x2229	intersection
∪	x222A	union
∫	x222B	integral
∴	x2234	therefore
∼	x223C	similar
≡	x2245	congruent
≈	x2248	approxequal
≠	x2260	notequal
≐	x2261	equivalence
≤	x2264	lessequal
≥	x2265	greaterequal
⊂	x2282	propersubset
⊃	x2283	propersuperset
⊄	x2284	notsubset
⊆	x2286	reflexsubset
⊇	x2287	reflexsuperset
⊕	x2295	circleplus
⊗	x2297	circlemultiply
⊥	x22A5	perpendicular
⋅	x22C5	dotmath
∫	x2320	integraltp
∫	x2321	integralbt
⟨	x2329	angleleft
⟩	x232A	angleright
◇	x25CA	lozenge
♠	x2660	spade
♣	x2663	club
♥	x2665	heart
♦	x2666	diamond
®	xF6DA	registerserif
™	xF6DB	trademarkserif
—	xF8E5	radicalex
	xF8E6	arrowvertex
—	xF8E7	arrowhorizex
®	xF8E8	registersans
™	xF8EA	trademarksans
(	xF8EB	parenlefttp
	xF8EC	parenleftex
)	xF8ED	parenleftbt
	xF8F5	integralext
)	xF8F6	parenrighttp
	xF8F7	parenrightex

Glyph	Unicode	Adobe Name
)	xF8F8	parenrightbt

Font family: Zapf Dingbats

Glyph	Unicode	Adobe Name
✂	x2701	a1
✂	x2702	a2
✂	x2703	a202
✂	x2704	a3
✂	x260E	a4
✂	x2706	a5
✂	x2707	a119
✂	x2708	a118
✂	x2709	a117
✂	x261B	a11
✂	x261E	a12
✂	x270C	a13
✂	x270D	a14
✂	x270E	a15
✂	x270F	a16
✂	x2710	a105
✂	x2711	a17
✂	x2712	a18
✓	x2713	a19
✓	x2714	a20
✕	x2715	a21
✕	x2716	a22
✕	x2717	a23
✕	x2718	a24
✕	x2719	a25
✕	x271A	a26
✕	x271B	a27
✕	x271C	a28
✕	x271D	a6
✕	x271E	a7
✕	x271F	a8
✕	x2720	a9
✕	x2721	a10
✕	x2722	a29
✕	x2723	a30
✕	x2724	a31
✕	x2725	a32
✕	x2726	a33
✕	x2727	a34
★	x2605	a35
☆	x2729	a36
⊛	x272A	a37

Glyph	Unicode	Adobe Name
☆	x272B	a38
☆	x272C	a39
☆	x272D	a40
☆	x272E	a41
☆	x272F	a42
☆	x2730	a43
☆	x2731	a44
☆	x2732	a45
✱	x2733	a46
✱	x2734	a47
✱	x2735	a48
✱	x2736	a49
✱	x2737	a50
✱	x2738	a51
✱	x2739	a52
✱	x273A	a53
✱	x273B	a54
✱	x273C	a55
✱	x273D	a56
✱	x273E	a57
✱	x273F	a58
✱	x2740	a59
✱	x2741	a60
✱	x2742	a61
✱	x2743	a62
✱	x2744	a63
✱	x2745	a64
✱	x2746	a65
✱	x2747	a66
✱	x2748	a67
✱	x2749	a68
✱	x274A	a69
✱	x274B	a70
●	x25CF	a71
○	x274D	a72
■	x25A0	a73
□	x274F	a74
□	x2750	a203
□	x2751	a75
□	x2752	a204
▲	x25B2	a76
▼	x25BC	a77
◆	x25C6	a78
❖	x2756	a79
◐	x25D7	a81
	x2758	a82

Glyph	Unicode	Adobe Name
!	x2759	a83
■	x275A	a84
‘	x275B	a97
’	x275C	a98
“	x275D	a99
”	x275E	a100
☞	x2761	a101
?	x2762	a102
?	x2763	a103
♥	x2764	a104
♣	x2765	a106
☺	x2766	a107
☹	x2767	a108
♣	x2663	a112
♦	x2666	a111
♥	x2665	a110
♠	x2660	a109
①	x2460	a120
②	x2461	a121
③	x2462	a122
④	x2463	a123
⑤	x2464	a124
⑥	x2465	a125
⑦	x2466	a126
⑧	x2467	a127
⑨	x2468	a128
⑩	x2469	a129
❶	x2776	a130
❷	x2777	a131
❸	x2778	a132
❹	x2779	a133
❺	x277A	a134
❻	x277B	a135
❼	x277C	a136
❽	x277D	a137
❾	x277E	a138
❿	x277F	a139
①	x2780	a140
②	x2781	a141
③	x2782	a142
④	x2783	a143
⑤	x2784	a144
⑥	x2785	a145
⑦	x2786	a146
⑧	x2787	a147
⑨	x2788	a148

Glyph	Unicode	Adobe Name
⑩	x2789	a149
❶	x278A	a150
❷	x278B	a151
❸	x278C	a152
❹	x278D	a153
❺	x278E	a154
❻	x278F	a155
❼	x2790	a156
❽	x2791	a157
❾	x2792	a158
❿	x2793	a159
➔	x2794	a160
➔	x2192	a161
↔	x2194	a163
↕	x2195	a164
➤	x2798	a196
➔	x2799	a165
➤	x279A	a192
➔	x279B	a166
➔	x279C	a167
➔	x279D	a168
➔	x279E	a169
➔	x279F	a170
➔	x27A0	a171
➔	x27A1	a172
➤	x27A2	a173
➤	x27A3	a162
➤	x27A4	a174
➔	x27A5	a175
➔	x27A6	a176
➔	x27A7	a177
➔	x27A8	a178
➔	x27A9	a179
➔	x27AA	a193
➔	x27AB	a180
➔	x27AC	a199
➔	x27AD	a181
➔	x27AE	a200
➔	x27AF	a182
➔	x27B1	a201
➔	x27B2	a183
➤	x27B3	a184
➤	x27B4	a197
➤	x27B5	a185
➤	x27B6	a194
➤	x27B7	a198

Glyph	Unicode	Adobe Name
➤	x27B8	a186
➤	x27B9	a195
➔	x27BA	a187
➔	x27BB	a188
➤	x27BC	a189
➤	x27BD	a190
➤	x27BE	a191
(	xF8D7	a89
)	xF8D8	a90
(	xF8D9	a93
)	xF8DA	a94
(	xF8DB	a91
)	xF8DC	a92
<	xF8DD	a205
>	xF8DE	a85
[	xF8DF	a206
]	xF8E0	a86
{	xF8E1	a87
}	xF8E2	a88
{	xF8E3	a95
}	xF8E4	a96